

HOT VARIO

Gentle heating via
circulating air



HOT VARIO

Grab & Go is a major trend, and the modular heated display case Hot Vario was developed for precisely this purpose. Accessories such as snack waves and product slides ensure your merchandise is perfectly presented, and can be removed ergonomically.

Its compact design means that Hot Vario can be used according to your individual requirements: from a single countertop module to a tower solution with an individual number of units combined on top of each other.



ONLINE
CATALOGUE

Complementary products

The Hot Vario heated display case is perfect for combining with the IDEAL AKE product range, for instance Hot Storage, Cool Bottle or Caleo.



Highlights


The innovative **circulating-heat technology** ensures that packaged hot snacks are kept at the perfect temperature.

Every module can be **adjusted separately at any desired temperature setting** (adjustable directly or via the app, adjustment range of 40–90°C to guarantee a core temperature of +65°C)

Low operating noise

Modular construction enables later extension or reduction of towers (with small supplementary kits)

Transparent, light design highlights your products



Hot Vario 1

Hot Vario 2



Hot Vario 3

Hot Vario 4

New: Hot Vario Backloader with hinged door on the operator side

Mirror effect visually multiplies the dishes on display and makes your presentation area appear larger

Accessories such as snack waves, snack holders and product slides for perfect presentation and simple removal (individual customisation possible by arrangement)



PRODUCT LIST

	Item	Item no.	Temperature range	Dimensions (W x D x H) mm	Connection
	Hot Vario 1 RAL9005	EU535660	Product: >+65 °C	596 × 765 × 390	0,72 kW 230V / 50Hz
	Hot Vario 1 BL RAL9005	EU535700		596 × 792 × 436	
	Hot Vario 1 BL RAL9005 L	EU535705		596 × 792 × 436	
	Hot Vario 2 RAL9005	EU535661		596 × 765 × 770	1,44 kW 230V / 50Hz
	Hot Vario 2 BL RAL9005	EU535701		596 × 792 × 856	
	Hot Vario 2 BL RAL9005 L	EU535706		596 × 792 × 856	
	Hot Vario 3 RAL9005	EU535662		596 × 765 × 1678	2,17 kW 230V / 50Hz
	Hot Vario 3 BL RAL9005	EU535702		596 × 792 × 1798	
	Hot Vario 3 BL RAL9005 L	EU535707		596 × 792 × 1798	
	Hot Vario 4 RAL9005	EU535663		596 × 765 × 2058	2,89 kW 230V / 50Hz
	Hot Vario 1 100 RAL9005	EU535710		1016 × 780 × 390	1,44 kW 230V / 50Hz
	Hot Vario 2 100 RAL9005	EU535711		1016 × 780 × 770	2,88 kW 230V / 50Hz

ACCESSORIES

	Item	Item no.	Usage
	Vario Roller RAL9005 width 255 mm	87033793	for Hot Vario, Hot Vario BL, Hot Vario 100
	Base deck RAL9005 width 255 mm	87019177	for Hot Vario, Hot Vario BL
	Base deck RAL9005 width 463 mm	87032666	for Hot Vario 100 (2 pcs. required for full width utilisation)
	Base deck RAL9005 width 510 mm	87018567	for Hot Vario, Hot Vario BL
	Snack holder RAL9005 width 65 mm	87019214	for Hot Vario, Hot Vario BL, Hot Vario 100
	Snack holder RAL9005 width 128 mm	87019180	for Hot Vario, Hot Vario BL, Hot Vario 100
	Snack wave RAL9005 flat	87019190	for Hot Vario, Hot Vario BL, Hot Vario 100
	Snack wave RAL9005 oblique	87019194	for Hot Vario, Hot Vario BL, Hot Vario 100
	Pedestal covered RAL9005	87016000	for Hot Vario, Hot Vario BL, Hot Vario 100
	Connection kit	87016086	for Hot Vario, Hot Vario BL, Hot Vario 100 (optional connection kits are required to assemble individual variants)