

Checklist special requests

Project: _____

Date: _____

Editor: _____

Display unit:

Preferred display unit (article description or item number): _____

- cold
→ If cooled: self-contained (with condensing unit) remote cooled → which refrigerant? R_____
- hot
- hot with climate
- ambient (= uncooled)
- combination

Installation situation:

- Drop-in (with hook-in frame from above)
- PRO (all sides visible)
- Countertop
- Slide-in (with base) → counter height: _____ mm

Do you have a floor drain on site? Yes No

Dimensions (approximately):

Width: _____ mm | Depth: _____ mm | Height (above counter): _____ mm

Are the dimensions mandatory or can they be offered as standard? mandatory standard

Gastronorm GN Baking standard norm EN Pan height: _____ mm

Number of intermediate shelves → should result from the glass top height: 1 2 3

Place of installation:

Description (air conditioning on site, ship, airport, bakery, restaurant, gas station, ...):

Glass design:

- completed on site
- performed by AKE

→ If AKE:

COSTUMER SIDE:

- closed (fixed front glass)
- open (self-service)
- flaps (= flip-up doors)
- Easy-Change-System (change between assisted service and self-service possible)

OPERATOR SIDE:

- sliding doors
- hinged doors
- open
- closed rear wall "RG"
- drawer

GLASS TOP:

- tempered safety glass (temperature class M2/H1)
- insulated glass (temperature class M1)

- squared
- curved
- slanted (if possible)

Products:

What is the display unit used for? _____

- with packing
- without packing

Options:

- wide compressor compartment (AIR IN / AIR OUT on operator side)
- RAL powder coated → which RAL colour? _____ matt glossy
- casters
- cutting board
- mirrored side glass → left right both
- mirrored doors
- mirrored rear wall

Additional notes:

Please always send a hand sketch or drawing!

.....

.....

.....

.....

