

think fresh

Spare Parts

Heated and Combination Display Cases

SPARE PARTS HOT DISPLAY CASES



ITEM	FOR MODEL #		ITEM NO.	PRICE IN EURO
Heat sources	Old model #	New model # since 2009		
Ceramic-Infrared heater (350 Watt)	WT 2/1 models	Rubin W / HM 80	500 500	186,-
Ceramic-Infrared heater (450 Watt)	WT 3/1 models	Rubin W / HM 112	500 501	214,-
Ceramic-Infrared heater (600 Watt)	WT 4/1 models	Rubin W / HM 145	500 502	243,-
Infrared heating lamp (500 Watt), dimmable	Snack-Line HOT	HM 47 and Snack-Line	500 515	201,-
Heating element for shelf (200 Watt) ¹⁾	WT 2/1 models	Rubin W 80	500 555	533,-
Heating element for shelf (300 Watt) ¹⁾	WT 3/1 models	Rubin W 112	500 556	659,-
Heating element for shelf (400 Watt) ¹⁾	WT 4/1 models	Rubin W 145	500 557	849,-
Heating element for base deck (500 Watt)	WT 2/1 models	Rubin W 80	500 550	730,-
Heating element for base deck (750 Watt)	WT 3/1 models	Rubin W 112	500 551	936,-
Heating element for base deck (1000 Watt)	WT 4/1 models	Rubin W 145	500 552	1.202,-
Heating element for base deck (750 Watt)	-	HM models	500 561	575,-
Electric parts				
STÖRK Energy-/Electronic Thermostat	all WT models	Rubin W models	722 212	401,-
Temperature probe (-50°C til +150°C)	all WT models	Rubin W models	393 296	75,-
Thermal cycling switch EGO	-	HM models bis 04/2011	722 215	81,-
Dimmer (control), for Infrared heater 500 W	Snack-Line HOT	HM 47 and Snack-Line	500 509	132,-
Main switch ON/OFF			193 059	16,-
Control lamp - green (On/Off) - for thermal switch			721 330	13,-
Control lamp - red (heating) - for thermal switch			721 331	13,-
Lighting fixtures				
Halogen lamp (60 Watt) for lighting	WT models	-	500 506	26,-
Fluorescent lamp 18 W – TL-D Xtra Secura 18W/830	WT since 07/2008	Rubin W / HM 80 / HM 112	721 250	123,-
Fluorescent lamp 36 W – TL-D Xtra Secura 36W/830	WT since 07/2008	Rubin W / HM 145	721 251	123,-
Lamp holder G13	-	Rubin W / HM	721 500	6,-
Lamp holder G13 with starter holder	-	Rubin W / HM	721 501	10,-
Magnetic choke (ballast) EC18W	-	Rubin W / HM 80 / HM 112	721 531	19,-
Magnetic choke (ballast) EC36W	-	Rubin W / HM 145	721 532	20,-
Starter S2, 4-22W	-	Rubin W / HM 80 / HM 112	721 520	4,-
Starter S10, 4-65W	-	Rubin W / HM 145	721 521	4,-

1) Not for model # W G (Glass top closed on all sides)

ITEM	FOR MODEL	ITEM NO.	FOR MODEL	ITEM NO.	PRICE IN EURO
	Old model #		New model # since 2009		
Glass shelves - black enameled glass					
Glass shelf (depth 350 mm)	WT 2/1 models	393 900	Rubin W 80	393 919	206,-
Glass shelf (depth 415 mm)	WT 2/1 models	393 901	Rubin W 80	393 921	207,-
Glass shelf (depth 350 mm)	WT 3/1 models	393 902	Rubin W 112	393 922	214,-
Glass shelf (depth 415 mm)	WT 3/1 models	393 903	Rubin W 112	393 923	226,-
Glass shelf (depth 350 mm)	WT 4/1 models	393 904	Rubin W 145	393 924	224,-
Glass shelf (depth 415 mm)	WT 4/1 models	393 905	Rubin W 145	393 925	243,-
Glass deck - black enameled					
Glass deck - black	-	-	Rubin W 47	393 913	166,-
Glass deck - black	WT 2/1 models	393 907	Rubin W 80	393 907	212,-
Glass deck - black	WT 3/1 models	393 908	Rubin W 112	393 908	255,-
Glass deck - black	WT 4/1 models	393 909	Rubin W 145	393 909	295,-
CERAN plate	-	-	Snack-Line HOT 88	393 916	231,-
CERAN plate	-	-	Snack-Line HOT 128	393 917	266,-
CERAN plate 1/1	-	-	Rubin HM models	393 920	262,-
Miscellaneous					
Handle				393 024	25,-
Rollers for sliding door				393 025	24,-
Clasps for hinged door				393 072	21,-
Hinge for hinged door				393 022	33,-
Fixing for side glass panes (old models until 06/2009 - with posts)				393 071	64,-
Fixing for side glass panes - shim made of durex, transparent (for new models from 07/2009)				393 073	22,-
Hot sneeze guards and glass top - WHS-type					
Halogen heating lamp (300 Watt) for all WHS models				721 020	92,-
Housing for halogen heating lamps for models built up to 2014				500 520	335,-
Housing for halogen heaters for WHS year of construction 2014 - for 500 W heating element				500 562	335,-


SPARE PARTS COMBINATION DISPLAYS



ITEM	MODEL	ITEM NO.	PRICE IN EURO
Chilled Display case			
Evaporator (height 120 x depth 300 mm)	KGU 120, KGW 127, WK G-80, DOUBLE 80	393 100	238,-
Evaporator (height 120 x depth 300 mm)	KGU 152, KGW 160, WK G-112, DOUBLE 112	393 101	375,-
Evaporator (height 120 x depth 300 mm)	WK G-145, DOUBLE 145	393 102	498,-
Evaporator (height 120 x depth 300 mm)	SWITCH 88	393 110	273,-
Evaporator (height 120 x depth 300 mm)	SWITCH 128	393 111	486,-
Evaporator (height 180 x depth 300 mm)	Snacky WK 148	393 132	719,-
Evaporator (height 180 x depth 300 mm)	Snacky WK 189	393 133	988,-
Evaporator (height 70 x depth 280 mm)	DOUBLE 80	393 123	231,-
Evaporator (height 70 x depth 280 mm)	DOUBLE 112	393 124	362,-
Evaporator (height 70 x depth 280 mm)	DOUBLE 145	393 125	481,-
Electric parts			
Electronic control unit (without s/s housing)	for all models (COLD section)	393 290	473,-
Display for control unit – COLD Thermostat	for all models (COLD section)	393 294	236,-
STÖRK Energy-/Electronic HOT Thermostat	for HOT section DOUBLE, WK, Switch, KGW und Snacky WK	722 212	401,-
Thermal cycling switch EGO	for HOT section KGW and Snacky WK until 05/2011	722 215	81,-
Control lamp – green (On/Off) – for thermal switch	for HOT section KGW and Snacky WK until 05/2011	722 220	13,-
Control lamp – red (heating) – for thermal switch	for HOT section KGW and Snacky WK until 05/2011	722 221	13,-
Dimmer (control), for Infrared heater 500 W	for HOT section KGW, Switch and Snacky WK	500 509	132,-
Main switch ON/OFF	for HOT section KGW, Switch and Snacky WK	193 059	16,-
Fan 24 volt (1,2 watt)	for models from 01/2010	393 005	197,-
Fan 24 volt (5 watt)	for models until 12/2009	393 007	197,-
Fan for condenser	for all models (COLD section)	393 009	189,-
Temperature probe (-50°C til +150°C)	for HOT section DOUBLE, WK and Switch	393 296	75,-
Temperature probe (Defrosting sensor – yellow)	for all models (COLD section)	393 295	39,-
Temperature probe (Room sensor – black)	for all models (COLD section)	393 298	39,-
Lighting fixture with built-in electronic ballast, without fluorescent lamp			
Lighting fixture T5 – 14 watt	Cold section for KGU 120, KGW 127, Double 80, Switch 88, Snacky WK 148	393 211	165,-
Lighting fixture T5 – 21 watt	Cold section for KGU 152, KGW 160, Double 112, Switch 128, Snacky WK 189	393 212	221,-
Lighting fixture T5 – 28 watt	Double 145 (Cold section)	393 213	276,-
Fluorescent lamp T5			
Fluorescent lamp 14 watt	see above – lighting fixture T5 – 14 watt	393 216	36,-
Fluorescent lamp 21 watt	see above – lighting fixture T5 – 21 watt	393 217	36,-
Fluorescent lamp 28 watt	see above – lighting fixture T5 – 28 watt	393 218	36,-

ITEM	MODEL	ITEM NO.	PRICE IN EURO
Lighting fixtures TL-D			
Fluorescent lamp 18 W – TL-D Xtra Secura 18W/830	for WK G-80 and WK G-112	721 250	123,-
Fluorescent lamp 36 W – TL-D Xtra Secura 36W/830	for WK G-145	721 251	123,-
Lamp holder G13	for all WK models	721 500	6,-
Lamp holder G13 with starter holder	for all WK models	721 501	10,-
Magnetic choke (ballast) EC18W	for WK G-80 and WK G-112	721 531	19,-
Magnetic choke (ballast) EC36W	for WK G-145	721 532	20,-
Starter S2, 4-22W	for WK G-80 und WK G-112	721 520	4,-
Starter S10, 4-65W	for WK G-145	721 521	4,-
Heat sources			
Infrared heating lamp (500 Watt), dimmable	KGW, SWITCH, Snacky WK (Hot section)	500 515	201,-
Quartz-Infrared heater (350 Watt)	WK G-80, Double 80 (Hot section)	500 500	186,-
Quartz-Infrared heater (450 Watt)	WK G-112, Double 112 (Hot section)	500 501	214,-
Quartz-Infrared heater (600 Watt)	WK G-145, Double 145 (Hot section)	500 502	243,-
Heating element for base deck (200 Watt)	for Snacky WK models	500 560	419,-
Heating element for base deck (500 Watt)	for Snack-Line Switch 88	500 550	730,-
Heating element for base deck (600 Watt)	for Snack-Line Switch 128	500 551	936,-
Heating element for base deck (750 Watt)	for all KGW models	500 561	575,-
Glass shelves – black enamelled glass			
Glass shelf (depth 415 mm)	for WK 80 models	393 921	207,-
Glass shelf (depth 415 mm)	for WK 112 models	393 923	226,-
Glass shelf (depth 415 mm)	for WK 145 models	393 925	243,-
Glass shelf (depth 415 mm)	for KGW 70 models	393 914	189,-
Glass deck – black enamelled glass			
Glass deck – black enamelled glass	for WK 80 models	393 910	205,-
Glass deck – black enamelled glass	for WK 112 models	393 911	243,-
Glass deck – black enamelled glass	for WK 145 models	393 912	283,-
Glass deck – black enamelled glass	for all Snacky WK, Hot section	393 915	171,-
CERAN deck	for Snack-Line Switch 88	393 916	231,-
CERAN deck	for Snack-Line Switch 128	393 917	266,-
CERAN deck 1/1	for all KGW, Hot section	393 920	262,-

ITEM	ITEM NO.	PRICE IN EURO
Valves		
Expansion valve for Refrigerant R 134a	193 062	85,-
Expansion valve for Refrigerant R 404A	293 068	85,-
Solenoid valve Type EVR	193 064	160,-
Miscellaneous		
Fixing for side glass panes (old models until 06/2009 – with posts)	393 071	64,-
Fixing for side glass panes – shim made of durex, transparent (for new models from 07/2009)	393 073	22,-
Clasps for hinged doors	393 072	21,-
Hinge for hinged doors	393 022	33,-
Handle	393 024	25,-
Rollers for sliding door	393 025	24,-
Base decks and divisional bars for GN pans: *)		
Support bar for base decks GN-Size 325mm/ per piece		33,-
Base deck – GN 1/1 size (532 x 325mm)		67,-
Divisional bar lengthwise (middle) 535 mm		33,-
Divisional bar lengthwise (outside) 535 mm		33,-
Divisional bar cross 325 mm		25,-

Example: Type 112

*) **Only required**, if smaller container than GN 1/1 size should be used.

GN 1/1: no divisional bar needed

GN 1/3 + GN 1/2: divisional bar lengthwise

GN 1/6 + GN 1/9: divisional bar lengthwise +
divisional bar cross

Type 80: 2 divisional bars (lengthwise outside) +
1 divisional bar (lengthwise middle)

Type 112: 2 divisional bars (lengthwise outside) +
2 divisional bars (lengthwise middle)

Type 145: 2 divisional bars (lengthwise outside) +
3 divisional bars (lengthwise middle)

Type 177: 2 divisional bars (lengthwise outside) +
4 divisional bars (lengthwise middle)

www.ideal-ake.at